



IMPROVING STEEL DISTRIBUTION EFFICIENCY

**STRONG PARTNERS.
TOUGH TRUCKS.™**

WWW.HYSTER.COM



TABLE OF CONTENTS

- 3** MORE EFFICIENT STEEL DISTRIBUTION UNLOCKED BY VERSATILE REACHSTACKERS
- 4** RE-EVALUATING THE WORKFLOW FOR LOADING RAILWAY WAGONS
- 6** COIL HANDLING GETS BIGGER
- 7** GETTING A HANDLE ON STEEL SLABS





MORE EFFICIENT STEEL DISTRIBUTION UNLOCKED BY VERSATILE REACHSTACKERS

With automation, increased connectivity and evolving labour demographics reshaping industrial landscapes, change is constant, and the steel industry is no exception. Today, mills must serve demand for steel in a variety of shapes and sizes, and face expectations for greater speed and efficiency when moving steel from production to distribution and ultimately, to end users.

Mills face significant financial commitments, with demand for larger and wider coils driving major investments to widen coil production lines and produce steel in larger depth and diameter coils. The material handling equipment and labour necessary to move steel products also accounts for significant costs. But steel mills cannot afford to cut corners – doing so risks unsafe and ineffective coil and slab handling, which can cause extremely costly lost-time accidents and mill shutdowns.

To stay competitive in such a challenging market, steel producers must re-examine not only the equipment they use, but how they use it. Instead of using multi-step, multi-machine workflows, what if they could shift to a streamlined approach, unlocking greater performance and efficiency to thrive in today's market?

Thanks to material handling equipment innovations that provide unprecedented flexibility, this streamlined approach is a growing reality for steel-handling operations. A single reachstacker can now handle tasks traditionally divided between equipment like overhead cranes and coil-ram lift trucks. This enables a consolidated workflow that avoids non-value-added steps like dropping loads at mid-points and changing equipment, while reducing overall equipment inventory and associated training time.

***Steel mills can lose up to
€130,000 per hour when the
mill is not operational***





RE-EVALUATING THE WORKFLOW FOR LOADING RAILWAY WAGONS

The established process to move steel from production to railway wagons rail cars is a lengthy one, involving multiple steps and pieces of equipment. Reachstackers have traditionally handled cargo containers and moved heavy loads around the yard. Often, other forklifts and slab carriers are dedicated to a single task, such as handling coils or slabs and bringing them to staging areas. Then, gantry systems use cranes to lift and load them into railway wagons.

With steel mills facing competitive pressure to become more efficient, this workflow falls short when it comes to speed and cost. Cranes travel slowly, yet they must traverse long rows of railway wagons to pick and place each load, and waiting for railway wagons to shuttle in and out of buildings extends the process further. From a financial standpoint, investing in so many different pieces of equipment means greater capital expenditure, while labour efficiency suffers with operators requiring adequate training and shuffling between equipment dedicated only to a single task.



What could your operation do with an improvement in handling efficiency & a reduction in labour costs?

By using a reachstacker, steel handling operations can engage in a more efficient, simple loading process, using a single piece of equipment to pick up finished pieces of steel and move them to staging and storage areas or load them directly into railway wagons. Reachstackers can optimize the process by:

- ▶ Reaching far enough to load two railway wagons deep without having to drive to a new loading position
- ▶ Side-load railway wagons and be equipped with cable car lid lifters
- ▶ Driving and lifting up to four times faster than overhead cranes
- ▶ Enabling more precise load placement and thus avoiding time-consuming adjustments, due to an elevated cab that offers better visibility to get it right the first time
- ▶ Operating without the need for an outside spotter, freeing scarce labour for more valuable tasks
- ▶ Eliminating the need for extra rail spurs, opening up more yard space



A TRADITIONAL COIL HANDLING APPLICATION REQUIRES MULTIPLE, VERY COSTLY, DEDICATED-TASK MACHINES AND TRAINED OPERATORS.



OVERHEAD / GANTRY CRANE:

Located at end of production line; pick up finished coils, place on railway wagons or transfer carts




TERMINAL TRACTORS:

Pull coils on transfer carts to storage and staging areas



COIL-HANDLING LIFT TRUCK:

Picks coil from storage yard and transfer to loading area



OVERHEAD / GANTRY CRANE:

Pick and load coils for shipment



But a reachstacker appropriately equipped for coil handling can safely and effectively execute all of the coil picking, transportation and loading functions handled by fixed or moving cranes, conventional counterbalance lift trucks and ram tractors in a traditional application.

- ▶ Reduced product touches
- ▶ Reduced labour and training requirements
- ▶ Fewer pieces of equipment to purchase and maintain
- ▶ Tool changing technology enables equipment to switch attachments to handle different tasks in simple, plug-and-play workflow

WATCH VIDEO ON YOUTUBE



COIL HANDLING GETS BIGGER

To keep production lines running longer and reduce coil change-out time, customers that manufacture products from steel are asking producers to provide larger coils.

But for steel producers, creating – much less distributing – these larger coils is no small task. Mills are making significant investments to widen production lines, but they must also modify material handling and transportation infrastructure. This means higher capacity lift trucks and a transition to rail and barge travel instead of over-the-road semi-trucks.

MAKE LIGHT WORK OF HEAVIER LOADS

To handle heavier, wider coils, a reachstacker offers the right combination of size, heavy duty features and most importantly, greater payload. In addition to heavier booms, larger tires tyres and axles, and right-sized coil handling attachments, reachstackers can lift up to 54 tonnes and offer an extended load center of up to 6.4 m, not only accommodating wider coils, but providing the extended reach necessary to place them on a double deep railway wagon, or a widely staged semi-trailer flatbed.



Operations can also utilise attachments designed specifically for coil handling, like coil hooks and grabs.

- ▶ **C- hooks**, similar to those used by overhead cranes, allow operators great flexibility when positioning coils on flat railway wagons with coil cores placed perpendicular to the railroad tracks. They can even include an integrated rail lid lifter for quick, integrated access to loading targets.
- ▶ **Coil grabs** are an effective choice to load walled cablegondola cars. The grab arms need a minimal distance to release the coil, fitting inside the walls of the railway wagon for maximum precision.





GETTING A HANDLE ON STEEL SLABS

With end users demanding steel coils and slabs alike, mills must be prepared to produce, handle and load both types. Flat slabs possess key differences from coils and lift trucks require different attachments to effectively handle them.

SLAB HANDLING ATTACHMENTS

- ▶ **Slab magnets** are used for stacking ambient temperature slabs in a storage yard and dropping them into place. Unlike clamps, magnets are well-suited for loading railway wagons with side walls, and they avoid the extra step of placing spacers between loads, expediting processes and enabling real productivity gains.
- ▶ **Slab handlers**, on the other hand, are typically used to grab and transport hot slabs around the yard and to load flat railway wagons without walls. They enable more precise handling than forks.



QUICK AND EASY ATTACHMENT CHANGES

If a mill uses some lift trucks to handle coils and other equipment to handle slabs, they are most likely paying for a bloated fleet. The coil handling trucks will sit idle and take up yard space when slabs are handled and vice versa, simply due to an inability to easily switch between the proper tooling.

A new tool changing technology eliminates the cumbersome, arduous process of manually changing attachments and the need for excess lift trucks. For non-powered attachments such as coil hooks or mechanical slab tons, operators can change them without even leaving their seat! For items that require power, such as electricity for slab magnets or hydraulic power for clamping or rotating attachments, operators will need to briefly leave the cab, but the process is simple. A plug-and-play workflow means operators just need to use quick-connecting fittings to connect the power supply for the attachment. Ultimately, this ability to more easily and quickly switch between different attachments can enable a leaner, more productive fleet.

STRONG PARTNERS. TOUGH TRUCKS.™

FOR DEMANDING OPERATIONS, EVERYWHERE.

Hyster® supplies a complete range of warehouse equipment, IC and electric counterbalanced trucks, container handlers and reachstackers. Hyster® is committed to being much more than a lift truck supplier.

Our aim is to offer a complete partnership capable of responding to the full spectrum of material handling issues: whether you need professional consultancy on your fleet management, fully qualified service support, or reliable parts supply, you can depend on Hyster®.

Our network of highly trained dealers provides expert, responsive local support. They can offer cost-effective finance packages and introduce effectively managed maintenance programmes to ensure that you get the best possible value. Our business is dealing with your material handling needs so you can focus on the success of your business today and in the future.



HYSTER EUROPE

Centennial House, Frimley Business Park, Frimley, Surrey, GU16 7SG, England.

Tel: +44 (0) 1276 538500



www.hyster.eu



infoeurope@hyster.com



[/HysterEurope](https://www.facebook.com/HysterEurope)




[@HysterEurope](https://twitter.com/HysterEurope)



[/HysterEurope](https://www.youtube.com/HysterEurope)



HYSTER-YALE UK LIMITED trading as Hyster Europe. Registered Address: Centennial House, Building 4.5, Frimley Business Park, Frimley, Surrey GU16 7SG, United Kingdom. Registered in England and Wales. Company Registration Number: 02636775.

©2020 HYSTER-YALE UK LIMITED, all rights reserved. HYSTER,  STRONG PARTNERS. TOUGH TRUCKS. are trademarks of HYSTER-YALE Group, Inc. Hyster products are subject to change without notice. Forklift trucks illustrated may feature optional equipment.